



KYT

POWER TOOLS

**FOCUSED ON THE SANDER
AND ANGLE GRINDER**



KYT
POWER TOOLS



YONGKANG KYOUNG POWER TOOLS CO., LTD

430 NO. 285 Longshi Road, West City Industry Area, Dongguan, Yongkang, Zhejiang Prov., China
Tel: 0686-579-8948 2628 0886-579-8020 6603
E-mail: kyt@crashermac.com sales12@crashermac.com sales09@crashermac.com
www.cnkyt.com

CONTENTS
PROFESSIONAL POLISHING



20⁺ YEAR

FOCUSED ON THE SANDER AND ANGLE GRINDER

KYT is a global-leading solution provider that specializes in researching, developing, manufacturing, testing, sales, and after-sale services for angle grinders and sanders. Since the company began in the year 2000, KYT focused on the sander and angle grinder for 20 years, has led the power tools industry in developing innovative solutions that deliver increased productivity, unmatched durability and convenience for professional and home users. We invested the time to work side-by-side with real users to understand the demands of a constantly changing workplace and how we can best deliver solutions for safer, more productive tools. KYT is not simply a manufacturer – we are also a progressive problem solver who have earned the reputation for continuous innovation and dedicated pursuit of professionalism.

KYT creates exceptional value for our customers through continuous innovation and improvement. We will constantly striving to create greener, safer, more productive tools, and always committed to helping build a better world by building better tools




TWO PRODUCTION BASES IN YONGKANG, ZHEJIANG, CHINA AND CHONBURI, THAILAND

KYT has an independent research and development center, We assembled the very best team of 32 engineers and industrial designers who have more than 10 years experience of each to give these products life within solutions that would change the lives of our users. New item development could be completed in 6 months, with the ability to support 10 new project programs simultaneously. We take use of advanced software together with the up-to-date market information to create desired products for customers. All necessary certificates including CE/GS/UL/ETL/SAA and many others have been received. More than 50 patents have been approved until now. We continuously study the latest requirements of standards and regulations at home and abroad. KYT products sold in 45 countries with annual sales of more than 50 million US dollars.



EVERY MONTH 300000⁺

KYT group has strong manufacturing capabilities, which has two production bases, one in China and another in Thailand. They are both equipped with 12 advanced automatic assembly lines, 6 state-of-the-art automatic motor production lines, digital controlled lathes, specialized engineering machines, machining centers, world-class laboratory and data center. The specialized engineering machines independently researched and developed by KYT team ensure higher precision and efficiency. The monthly production capacity is up to 400,000PCS because KYT comes out TPS management with Digital management platforms. Digital management platforms provide strong support making the whole process traceable and continuously increasing production efficiency.



AUTOMATED ASSEMBLY LINE



AUTOMATED ASSEMBLY LINE



AUTOMATED ASSEMBLY LINE



PERFORMANCE TESTING

We have invested millions of dollars to build the world-class laboratory and testing center, including loading & unloading endurance testing, performance testing, temperature rising testing, EMC testing, cable bending testing, switch testing, dust proof testing and so on. In addition to the necessary quality control procedures, 3PCS production samples will be randomly selected from the assembly lines to do full performance test make sure the consistency and high reliability when every 10,000PCS units produced. KYT continuously strives for quality improvement and enjoys a high reputation.



After make long-lasting remorseless effort ,Now KYT has become one of the most professional sander and grinder manufacturers which has received **ISO9001:2015, ISO14001:2004 & OHSMS18000** approval.

Won the honorary titles of :

- "national hi-tech enterprise", "science and technology enterprises in zhejiang province",
- "innovative demonstration enterprise of zhejiang province", "zhejiang hidden champions to foster enterprise"
- "Zhejiang exporting famous brand""Jinhua patent demonstration enterprise",
- And the "China import and export quality accredited enterprise" and many other titles.



ANGLE GRINDER S1M-KY30-115/125



RECOIL CONTROL SYSTEM

In the event of an unbalanced rebound, the sensor will be immediately powered off for protection

- High quality copper wire motor
- High precision gear, low noise and little vibration
- Professional products match with rubber power cord
- The life time is over 500 hours
- Auto stop carbon brush

**1010W
POWER**

Rated Voltage	Frequency	Rated Input Power
110-230V	50-60HZ	1010W
No Load Speed	Grinding Wheel	QTY/Carlon
11000r/min	Ø115/125x22.2mm	4PCS

KYT
POWER TOOLS

**CORDLESS OPERATION
EFFICIENT POLISHING**

**BRUSHLESS
MOTOR**

**ANGLE GRINDER
S0M-KY26-115/125**

**18V
POWER**

2 position handle,
anti-vibration handle available

Slide switch reduces
user's fatigue



Battery packs can be
connected to various platforms

Tool-free wheel guard

Divided type motor delivers higher power and longer life



S0M-KY26-115/125

300W ANGLE GRINDER



**BRUSHLESS
MOTOR**



**M14
5/8"-11UNC**

Battery Voltage	Rated current	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
18V	15A	300W	8500r/min	Ø115/125x22.2mm	4PCS

S1M-KY51-115/125

900W ANGLE GRINDER



Two action paddle switch design,
easier and much safer to control.



**M14
5/8"-11UNC**

Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110-230V	50-60HZ	900W	12000r/min	Ø115/125x22.2mm	4PCS

S1M-KY31-115/125

1300W ANGLE GRINDER



Two action paddle switch design, easier and more safer for control.



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110-230V	50-60HZ	1300W	12000r/min	Ø115/125x22.2mm	4PCS

S1M-KY35-230

2600W ANGLE GRINDER



Soft cover and rotated rear handle 15.6C



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110-230V	50-60HZ	2600W	6600r/min	Ø230x22.2mm	2PCS

S1M-KY41-125

1400W ANGLE GRINDER



Quick-release guard and normal guard for choice.



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110-230V	50HZ	1400W	6000-12200r/min	Ø125x22.2mm	4PCS

S1M-KY39-100

850W ANGLE GRINDER



Rear switch design, easier for control



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110-230V	50-60HZ	850W	11000r/min	Ø100x22.2mm	4PCS

KYT
POWER TOOLS

**HIGH DURABILITY AND
HIGH MANEUVERABILITY**

LITHIUM ANGLE GRINDER S0M-KY25-115



Battery packs can be connected to various platforms

Slide switch reduces user's fatigue

2 position handle, anti-vibration handle available

Dust-proof design, extended durability

Divided type motor delivers higher power and longer life

Tool-free wheel guard



- 2 position handle, anti-vibration handle available
- Divided type motor delivers higher power and longer life.
- Slide switch reduces user's fatigue
- Dust proof design extended durability.

**18V
LITHIUM**

RECOL CONTROL SYSTEM

Intelligence ensures maximum performance and protects your angle grinder from overloads, overheating and over discharge.

Battery Voltage	Rated current	Rated Input Power
18V	15A	300W
No Load Speed	Disc Diameter	QTY/ Carton
9500r/min	Ø115x22.2mm	4PCS

S1M-KY40-125

1200W ANGLE GRINDER



Two action paddle switch design, easier and much safer for control.



M14
5/8"-11UNC

Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110~230V	50~60HZ	1200W	6000~12200/min	Ø100x22.2mm	4PCS

S1M-KY13-125

1200W ANGLE GRINDER



Soft cover and rotated rear handle: +1.90



M14
5/8"-11UNC

Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110~230V	50~60HZ	1200W	5000~12000/min	Ø125x22.2mm	4PCS

S1M-KY33-125

850W ANGLE GRINDER



Two action paddle switch design, easier and much safer for control.



M14
5/8"-11UNC

Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110~230V	50~60HZ	850W	12000/min	Ø125x22.2mm	6PCS

S1M-KY36-230

2400W ANGLE GRINDER



Soft cover and rotated rear handle: +1.90



M14
5/8"-11UNC

Rated Voltage	Frequency	Rated Input Power	No Load Speed	Grinding Wheel	QTY/ Carton
110~230V	50~60HZ	2400W	6600/min	Ø230x22.2mm	2PCS

KLT
POWER TOOLS

**HIGH DURABILITY AND
HIGH MANEUVERABILITY**

SANDER S1B-KY06-110



A sealed on/off switch maximizes tool life by preventing contaminants from entering the tool

Built with a counterbalance system and ergonomic grip, this sander offers superior vibration dampening and increased control



A strengthened sanding pad with durable metal clamps promise secure paper retention during sanding applications



**SUPER
POWER**



RECOIL CONTROL SYSTEM

In the event of an uncompact rebound, the speed sensor will immediately power off for protection.

- 200°C high temperature resistant wire.
- Double insulation motor.
- Silver-containing commutator.
- There are paper punch and sandpaper.



Rated Voltage	Frequency	Rated Input Power
110-240V	50-60Hz	230W
No Load Speed	Disc Diameter	QTY/Cartron
14000r/min	110x100mm	4PCS

S1B-KY06-110

650W SANDER



Can add speed adjustment



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Air Volume	QTY/ Carton
110-240V	50-60Hz	650W	2000-16000r/min	2.8m³/min	4PCS

Q1F-KY02-110

650W BLOWER



Variable Speed Controller



Rated Voltage	Frequency	Rated Input Power	No Load Speed	Air Volume	QTY/ Carton
110-240V	50-60Hz	650W	2000-16000r/min	2.8m³/min	4PCS

S1M-KY52-115/125

20V ANGLE GRINDER



Tail free guard



Battery Voltage	Frequency	Speed	Grinding wheel	Output shaft	QTY/ Carton
20V	50-60Hz	3500/8500 r/min	Ø115/125x22.2mm	M14, 5/8"-11UNC	4PCS

S1M-KY57-115/125

1300W ANGLE GRINDER



Six step speed control



Voltage	Frequency	Rated power	Speed	Grinding wheel	Output shaft	QTY/ Carton
110V/230V	50-60Hz	1300W	5000-11000 RPM	Ø115/125x22.2mm	M14, 5/8"-11UNC	4PCS